

Index

- N^{th} -order moments, 69, 73
- Absorbing inclusions, 422
- Absorption
 - Coefficient, 7, 67–68, 122, 154, 354, 394, 505, 565
 - Cross-section, 10
 - Efficiency, 11
 - Interaction, 3
 - Mean free path, 22
 - Perturbation, 538, 580
 - Properties, 9, 14
- Absorption-scattering pathlength rejection method, 480
- Agricultural products, 28
- Albedo rejection (AR) method, 477
- Albedo weight (AW) method, 479
- Anderson localization of light, 20
- Angular dependence of radiance, 228
- Anisotropic diffusion equation, 138, 145
- Anisotropic light propagation, 135
- Anisotropic media, 90, 234
- Anomalous transport, 20
- Asymmetry factor, 8, 113, 497, 521
- Background medium, 10, 394
- Ballistic
 - Component, 9
 - Peak, 340
 - Photons, 27, 338
 - Radiation, 248
 - Time, 154, 522
- Beam source, 171
- Bessel functions, 187, 201, 204, 299, 342, 352, 444, 614, 636
- Biological tissues, 28
- Biomedical optics, xxvi
- Born approximation, 394, 422
- Boundary conditions
 - Diffusive–diffusive interfaces, 129, 592
 - Diffusive–non-scattering interfaces, 124, 589
- Boundary conditions for the diffusion equation, 124
- Boundary conditions for the radiative transfer equation, 51
- Closed-form solutions, 422
- Comparisons
 - MC-DE for a homogeneous medium, 514, 520
 - MC-DE for four-layered slab, 546
 - MC-DE for inhomogeneous media, 538, 542
 - MC-DE for the Raman signal, 562
 - MC-DE for two-layered slab, 544
 - MC-DE mean maximum and mean average penetration depth, 534
 - MC-hybrid models, 549, 551
 - MC-model for ballistic photons, 555

- Conduction of heat, xxix
- Continuity equation, 111, 113
- Continuous wave
 - Domain, 159, 198
 - Mean pathlength, 180
 - Source, 40
- Cylindrical particles, 29

- Decay time for a diffusive slab, 182
- Detected power, 68
- Detector-free propagation through a slab, 315
- Detector-free propagation through an infinite medium, 315
- Diffuse optical tomography, xxxi
- Diffusion
 - Approximation, 108, 583
 - Coefficient, 112, 115
 - Equation, 105, 111
 - Equation for N -layered media, 373
 - Equation for layered media, 349
 - Of electrons and holes, xxix
 - Of molecules in gases, xxix
- Diffusive
 - Media, 28, 566
 - Regime, 28, 110, 157, 568
- Dirac delta source, 43, 166, 181
- Discrete ordinates method, 90, 334

- Effective attenuation coefficient, 156
- Eigenfunction expansion, 353, 355
- Eigenfunction expansion: general theory, 616
- Elastic scattering, 5, 13
- Electrical conductivity, xxxiv
- Electromagnetic theory of multiple scattering, 36
- Energy density, 38
- Extinction coefficient, 8, 63, 502
- Extrapolated boundary condition, 124–125
- Extrapolated boundary condition (EBC), 127, 165, 336, 353
- Extrapolated boundary partial current condition (EBPC), 190, 337, 360, 407
- Extrapolated distance, 127, 355

- Fick's law, 111, 173, 188, 584
- Finite difference method, 90
- Finite element method, 90, 334
- Fluence rate, 39, 154, 167, 334, 355, 514, 596
- Fluorescence, 5, 445, 451
- Fluorescence interactions, 451
- Flux vector, 40
- Fresnel reflection coefficient, 124

- Gamma function, 340
- Gauss theorem, 128, 397
- General property of light re-emitted by a diffusive medium, 363
- Generalized solution, 360
- Geometric cross-section, 11
- Geometry
 - Cylinder, 200
 - Infinite medium, 153
 - Parallelepiped, 195
 - Slab, 165
 - Sphere, 202
 - Two-layer cylinder, 354
- Green's function
 - Diffusion equation
 - Cylinder, 200
 - Parallelepiped, 195
 - Reflectance, 173
 - Slab, 167–168, 173
 - Sphere, 202
 - Transmittance, 173
 - Method, 43
 - Radiative transfer function
 - Infinite medium, 339
 - Telegrapher equation
 - Infinite medium, 341

- Green's function of the anisotropic
CW DE for an infinite
homogeneous medium, 604
- Green's function of the DE for a
homogeneous parallelepiped,
619
- Green's function of the DE for an
infinite homogeneous medium,
597
- Time-dependent source, 597
- Photon flux for a non-absorbing
medium, 603
- Steady-state domain, 600
- Green's functions of the diffusion
equation, 153
- Helmholtz equation, 353, 356, 622
- Henyey and Greenstein model, 473
- Heuristic Raman forward solver, 436
- Highly scattering materials, 29
- Hybrid
- Approach, 190, 336, 407, 558
- Solutions, 189, 334, 343
- Improved diffusion equation, 159
- Independent scattering
- approximation, 13, 17
- Inelastic scattering, 5
- Infinitely extended sources, 213
- Initial and boundary value problem,
353
- Integral transport methods, 90
- Interference effects, 19
- Internal pathlength moments, 420
- Interstellar medium, 30
- Intralipid, 29
- Invariance property, 79
- Irradiance, 39
- Jacobian, 401, 538
- Lambert's cosine law, 232
- Lambert-Beer law, 8, 67
- Lambertian illumination, 60
- Lambertian source, 171
- Lambertian surface, 232
- Laplace transform, 68
- Lateral penetration depth, 303
- Legendre polynomials, 203
- Light sources, 169
- Maxwell's equations, 36
- Mean chord theorem, 77
- Mean free path, 19, 22, 158, 517
- Mean number of scattering events,
159
- Mean pathlength, 157
- Mean square displacement, 315, 627
- Mean time of flight, 69, 72, 366
- Method of images, 165, 336–337,
352
- Microscopic Lambert-Beer law
(mLBL), 67, 73
- Microscopic Lambert-Beer law
method, 475
- Mie theory, 15, 18, 473, 497
- Modified Lambert-Beer law,
73–74
- Modified reciprocity relation, 360
- Moments of distributions of times
of flight of photons, 184
- Monte Carlo (MC), 469, 497
- Code for a homogeneous and
layered slab, 503
- Code for a slab containing an
inhomogeneity, 505
- Code for an infinite homogeneous
medium, 502
- Method, 474–475, 477, 479–480
- Results, 512
- Results data base in \otimes , 575
- Simulations, 232
- Near-infrared spectroscopy, xxvi
- Neutron transport, xxix
- Normalizing factor, 636

- Ohm's law for light, 206
- Optical density, 75
- Optical properties
 - Biological tissue, 28, 131
 - Statistical meaning, 21
 - Turbid medium, 7
- Optical thickness, 9
- Outgoing flux
 - Comparison between Fick and EBPC, 558
 - EBPC, 188, 337, 360, 407
 - Fick's law, 338
- Padé approximation, 394
- Partial current boundary condition (PCBC), 126, 591
- Particle concentration, 14
- Path integral method, 90
- Pencil beam source, 169
- Pencil light beam, 169
- Penetration depth, 266, 294, 367, 546
- Perturbation
 - Hybrid models, 418
 - Layered slab, 420
 - Monte Carlo, 506
 - Theory, 394, 422
- Phosphorescence, 5
- Photon density, 40
- Photon packets, 469
- Photon trajectories, 470
- Power measured, 68
- Principle of conservation of energy, 41
- Probabilistic interpretation of the solutions, 46
- Probability density function, 21
- Probability distribution function, 22, 471
- Properties of the diffusion equation, 121
 - Dependence on absorption, 122
 - Scaling properties, 121
- Properties of the radiative transfer equation, 62
 - Dependence on absorption, 67
 - Invariance property, 79
 - Mean chord theorem, 77
 - Reciprocity, 66
 - Scaling properties, 63
- Radial penetration depth, 294
- Radiance, 39, 337, 398, 502
- Radiative transfer equation (RTE), 36, 41, 334
- Raman, 431
 - Forward solvers, 440, 443
 - Scattering, 431
- Random
 - Media, 3
 - Number generator, 500
 - Walk method, 334
 - Walk theory, 394
- Rayleigh scatterers, 15
- Reciprocity principle, 609
- Reciprocity relation, 609
- Reduced scattering coefficient, 24, 112–113, 154, 361, 566
- Reduced scattering efficiency, 25
- Reference Monte Carlo results, 575
- Reflectance, 173, 338, 360
- Robin boundary condition, 126
- Russian roulette, 484
- Rytov method, 394, 421
- Scaling properties, 63
- Scaling relationships, 271, 298
- Scattering
 - Coefficient, 7, 13, 504
 - Cross-section, 13
 - Efficiency, 14
 - Interaction, 3
 - Mean free path, 19
 - Perturbation, 506, 538
 - Phase function, 7, 13, 21
 - Properties, 13

- Second-order moment, 157
Semi-infinite medium, 187
Similarity relation, 24
Single-scattering albedo, 8
Size parameter, 15
Snell's and Fresnel's laws, 51
Snell's law, 234, 594, 596
Software in \otimes , 570
Solution
 Diffusion equation
 Cylinder, 200
 Infinite medium, 153
 Parallelepiped, 195
 Perturbation theory, 394, 422
 Slab, 165
 Sphere, 202
 Two-layer cylinder, 354
 Radiative transfer equation
 Ballistic radiation, 248
 Infinite medium, 339
 Telegrapher equation
 Infinite medium, 341
Solution for an N -layered cylinder, 376
Solution for anisotropic media, 235
Solution of the DE for a pencil beam source, 203
Solution of the DE for a semi-infinite medium, 187
Solution of the DE for time-resolved fluorescence, 445
Source term, 41, 112, 169, 353, 396
Spatial-frequency domain, 219–220
Specific intensity, 39, 583
Spectral radiance, 38
Spectral specific intensity, 38
Spherical harmonics method, 90, 334
Standard error, 504, 514
Statistical meaning of the optical properties, 21
Statistical relationships, 315
Telegrapher equation (TE), 341
Temporal frequency domain, 87, 217
Temporal point spread function (TPSF), 44
Theory of Fourier series, 352
Thermal conductivity, xxxiv
Thermometric conductivity, xxxiv
Time domain, xxix, 195
Time-correlated single-photon counting, 474
Time-resolved (TR) response, 40
Total mean pathlength, 158
Transformed domains, 87, 123, 217
Transmittance, 173, 338, 360
Transport
 Coefficient, 24
 Mean free path, 25, 517, 565
 Theory, xxviii
Transversal penetration depth, 294
Turbid media, 7
Volume fraction, 14
Weak solution, 360
Zero boundary condition (ZBC), 127

Fabrizio Martelli graduated from the Physics Department of the University of Florence, Italy, in 1996, studying photon migration through biological tissue. He received his Ph.D. in physics from the University of Electro-communications (UEC), Tokyo, Japan, in 2002, with a thesis on photon migration through homogeneous and layered diffusive media for applications to tissue optics. He is currently an appointed researcher in the Department of Physics and Astronomy of the University of Florence. His major research topic is the modeling of light propagation through diffusive and scattering media and the development of inversion procedures to retrieve the optical properties of diffusive media from time-resolved and spatially resolved measurements. He has studied the modeling of photon transport with numerical simulations and with analytical theories, i.e., using both Monte Carlo simulations and analytical solutions derived from the diffusion equation or the radiative transfer equation. He has conducted extensive research on the determination of optical properties of biological tissues using time- and space-resolved near-infrared spectroscopic measurements. He has experience in the inverse problem implemented with standard nonlinear regression procedures and analytical solutions of the diffusion equation. He has published 100 papers in peer-reviewed journals and a monograph on light propagation through biological tissue.

Tiziano Binzoni received his master's degree at the Department of Physics of the University of Geneva with the thesis topic "Renormalization of the SQED model (supersymmetric quantum electrodynamics) without auxiliary fields." He obtained his Ph.D. degree at the Department of Physiology of the Faculty of Medicine of Geneva, with interdisciplinary work on "A dynamical approach to human skeletal muscle bioenergetics." He was appointed Privat-Dozent at the Faculty of Medicine of Geneva with the "Study of the human skeletal muscle energy metabolism by means of non-invasive techniques." He regularly participated in the teaching activities at the Faculty of Medicine, with a particular interest in topics related to human physiology. He has accumulated extensive experience on non-invasive measurement techniques and in-depth theoretical and experimental knowledge on nuclear magnetic resonance spectroscopy/imaging and biomedical optics applied to the investigation of human skeletal muscle and bone. He is currently with the Department of Radiology and Medical Informatics of the Geneva University Hospital and with the Department of Fundamental Neurosciences at the Faculty of Medicine of Geneva. His main research topic is the experimental and theoretical development of optical techniques that allow non-invasive investigation of the mechanisms controlling human musculo-skeletal hemodynamics, with a focus on the influence of temperature. His background in theoretical physics and human physiology has allowed him to relate the theory of photons migration in living tissues to the underlying physiological phenomena. He has authored more than 90 peer-reviewed articles.

Samuele Del Bianco received his master's degree at the Physics Department of the University of Florence, Italy, in 2002, with a thesis on the methodologies for measuring the optical properties of biological tissues using both homogeneous and layered models. He received the Ph.D. from the Leonardo da Vinci Engineering School of the University of Pisa, Italy, in 2008, with a thesis on radiative transfer and inversion model of atmospheric measurements in the far infrared for cloudy conditions. He is a researcher at the Institute of Applied Physics "Nello Carrara" (IFAC) of the National Research Council (CNR). His major topic is the modeling of light propagation through the atmosphere to retrieve the physical and chemical properties of atmospheric constituents. He has experience in modeling light propagation by means of Monte Carlo (MC) simulations and using analytical theories derived from the radiative transfer equation. He has developed several MC codes for light propagation through scattering media using both unpolarized and polarized light. He also has vast experience in modeling light propagation through diffusive media such as biological tissues. He has conducted several experimental investigations on measuring the optical properties of diffusive media and of biological tissues by using time-resolved and spatially resolved measurements. He has used standard nonlinear regression procedures to retrieve the optical properties of diffusive media with a special reference to biological tissues. He has authored more than 50 peer-reviewed articles and of a monograph on light propagation through biological tissue.

André Liemert received the diploma in mechatronics from the University of Applied Sciences, Ulm, in 2007. In 2011, he received the Dr.-Ing. degree in electrical engineering from the University of Ulm. From 2011 until present, he has been working as a postdoctoral researcher in the Quantitative Imaging and Sensors department at the Institute of Laser Technologies in Medicine and Metrology in Ulm. His research activity spans all phenomena of radiative transfer in turbid media and its applications in medicine, physics, and engineering sciences. He has analytically solved the radiative transfer equation and the diffusion equation in several geometries, providing a wide set of analytical and semi-analytical solutions. His interest also touches some aspects of applied mathematics and many mathematical physics problems such as fractional radiative transport, the fractional diffusion equation, and the fractional Schrödinger equation. He has authored more than 50 peer-reviewed articles.

Alwin Kienle studied physics at the University of Ulm, Germany. During his doctoral thesis entitled "Light propagation in biological tissue," he worked at the Institute of Laser Technologies in Medicine and Metrology in Ulm (ILM), Germany, and at the Hamilton Regional Cancer Centre in Hamilton (HRCC), Canada. As a postdoctoral researcher, he was with research groups at the HRCC, and at EPFL in Lausanne, Switzerland. During his habilitation

period at the University of Ulm, he studied theoretical and experimental issues concerning the determination of optical properties of scattering media. Currently, he is speaker of the board of directors at ILM and head of the department “Quantitative Imaging and Sensors.” In addition, he is a professor at the University of Ulm. The topics of his research activities are theoretical investigations of the light propagation in scattering media on microscopic, mesoscopic, and macroscopic scales, the determination of the optical properties of scattering media and, based on this, various applications in medicine, physics, and engineering sciences. He has published more than 100 papers in peer-reviewed journals.