

Light Propagation through Biological Tissue and Other Diffusive Media

THEORY, SOLUTIONS, AND VALIDATION

SECOND EDITION

Light Propagation through Biological Tissue and Other Diffusive Media

THEORY, SOLUTIONS, AND VALIDATION

SECOND EDITION

Fabrizio Martelli
Tiziano Binzoni
Samuele Del Bianco
André Liemert
Alwin Kienle

SPIE PRESS
Bellingham, Washington USA

Library of Congress Cataloging-in-Publication Data

Names: Martelli, Fabrizio, 1969– author.

Title: Light propagation through biological tissue and other diffusive media: theory, solutions, and validations / Fabrizio Martelli, Tiziano Binzoni, Samuele Del Bianco, André Liemert and Alwin Kienle.

Description: Second edition. | Bellingham, Washington : SPIE–The International Society for Optical Engineering, [2022] | Revision of: Light propagation through biological tissue and other diffusive media / Fabrizio Martelli ... [et al.]. c2010. | Includes bibliographical references and index.

Identifiers: LCCN 2021058843 | ISBN 9781510650343 (paperback) | ISBN 9781510650350 (pdf)

Subjects: LCSH: Light–Transmission–Mathematical models. | Tissues–Optical properties.

Classification: LCC QC389 .L54 2022 | DDC 535/.3–dc2 3/eng20220406

LC record available at <https://lccn.loc.gov/2021058843>

Published by

SPIE

P.O. Box 10

Bellingham, Washington 98227-0010 USA

Phone: +1 360.676.3290

Fax: +1 360.647.1445

Email: books@spie.org

Web: <http://spie.org>

Copyright © 2022 Society of Photo-Optical Instrumentation Engineers (SPIE)

All rights reserved. No part of this publication may be reproduced or distributed in any form or by any means without written permission of the publisher.

The content of this book reflects the work and thought of the authors. Every effort has been made to publish reliable and accurate information herein, but the publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Printed in the United States of America.

First printing 2022.

For updates to this book, visit <http://spie.org> and type “PM348” in the search field.

SPIE.

To our families

“We shall not cease from exploration and the end of our exploring will be to arrive where we started and know the place for the first time.”

T. S. Eliot

Contents

<i>Acknowledgments</i>	<i>xvii</i>
<i>Disclaimer</i>	<i>xix</i>
<i>List of Acronyms</i>	<i>xxi</i>
<i>List of Symbols</i>	<i>xxiii</i>
<i>Preface</i>	<i>xxvii</i>
References	xxxv
Part I Theory	1
1 Scattering and Absorption Properties of Turbid Media	3
1.1 Approach Followed in This Manual	3
1.2 Optical Properties of a Turbid Medium	7
1.2.1 The basic definitions	7
1.2.2 Lambert–Beer law	8
1.2.3 Absorption properties	9
1.2.4 Scattering properties	13
1.2.5 Limitations of the parameter and function definitions presented in this manual	19
1.2.6 Anomalous light transport	20
1.3 Statistical Meaning of the Optical Properties of a Turbid Medium	21
1.3.1 Mean free paths between scattering and absorption events	21
1.3.2 Photon extinction due to absorption or scattering events along general photons' paths	23
1.4 Similarity Relation and Reduced Scattering Coefficient	24
1.5 Ballistic Photons	27
1.6 Examples of Diffusive Media	28
1.7 Conclusion	30
References	30
2 The Radiative Transfer Equation	37
2.1 Quantities Used to Describe Radiative Transfer	38
2.2 The Radiative Transfer Equation	41
2.2.1 RTE for the general case	41
2.2.2 RTE for a problem with planar symmetry	42

2.3	The Green's Function Method	43
2.3.1	Time-resolved Green's function	43
2.3.2	Continuous-wave Green's function	44
2.3.3	Relation between TR and CW Green's functions	45
2.4	Probabilistic Interpretation of the Solutions	46
2.4.1	Probability density function for a photon to be detected	47
2.4.2	Probability density function for a photon to be absorbed	49
2.4.3	Probability density function to find a photon in the medium	49
2.5	Boundary Conditions for the RTE	51
2.5.1	Physical phenomena at the interface of two media with different optical properties	51
2.5.2	Boundary conditions at the interface of two scattering media	55
2.5.3	Boundary conditions at the interface between scattering and non-scattering media	58
2.6	Uniform Lambertian Illumination: A Special Reference Case	60
2.7	Properties of the Radiative Transfer Equation	62
2.7.1	Scaling properties	63
2.7.2	Reciprocity theorem for the CW RTE	66
2.7.3	Dependence on absorption	67
2.7.4	Absorbed power: useful equations	77
2.7.5	Ballistic photons and mean chord theorem	77
2.7.6	Invariance property of the mean pathlength $\langle L \rangle$ in scattering media	79
2.8	The RTE in Transformed Domains	87
2.8.1	Temporal frequency domain	87
2.9	Numerical and Analytical Solutions of the RTE	89
2.10	Anisotropic Media and Anomalous Radiative Transport	90
2.10.1	Anisotropic media	90
2.10.2	Anomalous radiative transport	91
2.11	Conclusion	94
	References	94
3	The Diffusion Equation for Light Transport	107
3.1	Diffusion Equation and History	107
3.2	The Diffusion Approximation: Physical Assumptions	108
3.3	Derivation of the Diffusion Equation	111
3.3.1	Fick's law and diffusion equation	111
3.3.2	Fick's law in the history	114
3.4	Diffusion Coefficient	115
3.4.1	Diffusion coefficient compatible with the μ_a -dependence law of the RTE	115
3.4.2	Diffusion coefficient for the case of $\mu'_s \approx \mu_a$	116
3.4.3	Theoretically exact diffusion coefficient and the related DE	119

3.5	Properties of the Diffusion Equation	121
3.5.1	Scaling properties	121
3.5.2	Dependence on absorption	122
3.5.3	Reciprocity theorem for the CW DE	122
3.6	Diffusion Equation in Transformed Domains	123
3.7	Boundary Conditions	124
3.7.1	Boundary conditions at the interface between diffusive and non-scattering media	124
3.7.2	Boundary conditions at the interface between two diffusive media	129
3.8	Conclusion	131
	References	131
4	Anisotropic Light Propagation	137
4.1	The CW Anisotropic Diffusion Equation	138
4.2	Two Classical Cases	145
4.2.1	Anisotropic medium with azimuthal symmetry and isotropic phase function	145
4.2.2	Isotropic medium: a test case	147
4.3	Conclusion	148
	References	149
	Part II Solutions	151
5	Solutions of the Diffusion Equation for Homogeneous Media	153
5.1	Solution of the Diffusion Equation for an Infinite Medium: Separation of Variables and Fourier Transform Method	153
5.2	Improved Solution for the CW Domain: Infinite Medium and Isotropic Scattering	159
5.3	Solution of the Diffusion Equation for a Slab: Method of Images	165
5.3.1	The diffusion equation and the choice of light sources	169
5.3.2	Analytical Green's function for transmittance and reflectance	173
5.4	Solution of the Diffusion Equation for a Slab: Separation of Variables, Fourier Transform, and Eigenfunction Method	180
5.5	Moments of the Temporal Point Spread Function for a Slab	184
5.6	Solution of the Diffusion Equation for a Semi-infinite Medium	187
5.7	Other Solutions for the Outgoing Flux	188
5.8	Analytical Green's Function for a Parallelepiped	195
5.8.1	Time domain	195
5.8.2	CW domain	198
5.9	Analytical Green's Function for an Infinite Cylinder	200
5.10	Analytical Green's Function for a Sphere	202
5.11	Solution of the Diffusion Equation for a Pencil Beam Source Impinging on a Finite Cylinder Geometry	203
5.12	Ohm's Law for Light	206

5.12.1	Isotropic source case	206
5.12.2	Pencil beam source case	208
5.13	Solutions for a Slab Illuminated by Infinitely Extended Sources	213
5.13.1	Uniform distribution of isotropic sources inside a slab	213
5.13.2	Spatially uniform illumination with sources on the external surfaces of a slab	215
5.14	Solutions of the DE in Transformed Domains	217
5.14.1	Solutions of the DE in the temporal-frequency domain	217
5.14.2	Solutions of the DE in the spatial-frequency domain	219
5.14.3	Solution of the DE in the spatial-frequency domain: Laplace transform approach and semi-infinite medium	220
5.15	Angular Dependence of Radiance Exiting a Diffusive Medium	228
5.16	Comment: The Angular Dependence of Reflectance	234
5.17	Anisotropic Media	234
5.17.1	Solution for a slab and a pencil beam source: method of images	235
5.18	Summary Comments on Applications	236
5.18.1	Isotropic media	237
5.18.2	Anisotropic media	239
5.19	Conclusion	239
	References	239
6	Ballistic and Quasi-Ballistic Radiation	249
6.1	Solution of the RTE for Ballistic Radiation	249
6.1.1	Pencil beam source	250
6.1.2	Isotropic source	251
6.2	Heuristic Hybrid Model for Ballistic Photon Detection in Collimated Transmittance CW Measurements	252
6.2.1	Preliminary definition of the model	252
6.2.2	Model in the ballistic regime: small optical thickness	255
6.2.3	Model in the diffusive regime: large optical thickness	259
6.2.4	Model for the intermediate regime	260
6.2.5	Heuristic hybrid model for $d = 0$	261
6.3	Conclusion	264
	References	265
7	Statistics of Photon Penetration Depth in Diffusive Media	267
7.1	Statistics of Photon Penetration Depth inside an Infinite Laterally Extended Slab	267
7.2	Scaling Relationships for the Penetration Depth	271
7.3	Heuristic Formula for the Mean Average Penetration Depth $\langle \bar{z} \rangle$ in a Homogeneous Medium	273
7.4	Solutions for f and $\langle z_{\max} \rangle$ for a Slab in the Diffusion Approximation	274
7.5	Heuristic Model for $\langle z_{\max} t \rangle$ and $\langle \bar{z} t \rangle$ for a Semi-infinite Medium	282

7.6	Frequency-Domain Penetration Depth	285
7.7	Summary Comments on Applications	286
7.8	Conclusion	287
	References	288
8	Statistics of Transversal Penetration Depth in the TD	295
8.1	Statistics for the Radial Penetration Depth in a Laterally Infinite Slab	295
8.1.1	Heuristic relation for the average radial penetration depth	298
8.1.2	Scaling relationships for the radial penetration depth	298
8.1.3	Calculation of $f(r \rho, t)$ and $\langle r_{\max} \rho, t \rangle$ with DE solutions	299
8.1.4	Properties of $f(r \rho, t) _{DE}$ and $\langle r_{\max} \rho, t \rangle _{DE}$	300
8.1.5	Heuristic formula for $\langle r_{\max} \rho, t \rangle _{DE \text{ Slab}}$ at $\rho = 0$	301
8.1.6	Comparison of the radial versus longitudinal penetration depth in a semi-infinite medium	302
8.2	Statistics for the Lateral Penetration Depth in a Laterally Infinitely Extended Slab	303
8.2.1	Heuristic relation for $\langle y \rho, t \rangle _{slab}$	304
8.2.2	Scaling relationships for the lateral penetration depth	305
8.2.3	Formulas with the DE and invariant properties	305
8.2.4	Heuristic formula for $\langle y_{\max} t \rangle _{DE}$	309
8.3	Statistics of the Radial Penetration Depth in an Infinite Medium	310
8.3.1	Heuristic formula for maximum penetration depth in an infinite medium	311
8.4	Comparisons of the Different Formulas for the Maximum Penetration Depth	312
8.5	Summary Comments on Applications	312
8.6	Conclusion	313
	References	313
9	Average Photon Distance from Source and Relative Moments	317
9.1	Statistical Relationships: Displacement of Photons from the Source in an Infinite Homogeneous Medium	317
9.1.1	Time domain	318
9.1.2	CW domain	322
9.2	Penetration Depth for all Photons Propagating in an Infinite Medium	324
9.2.1	Mean penetration depth in the TD	325
9.2.2	Mean penetration depth in the CW domain	328
9.3	Penetration Depth for all Photons Propagating through a Slab	328
9.3.1	Mean penetration depth in the TD	329
9.3.2	Mean penetration depth in the CW domain	331
9.4	Conclusion	332
	References	333
10	Hybrid Solutions of the Radiative Transfer Equation	335
10.1	General Hybrid Approach to the Solutions for the Slab Geometry	336


10.2 Analytical Solutions of the Time-Dependent RTE for an Infinite Homogeneous Medium	339
10.2.1 Almost exact time-resolved Green's function of the RTE for an infinite medium with isotropic scattering	339
10.2.2 Heuristic time-resolved Green's function of the RTE for an infinite medium with non-isotropic scattering	341
10.2.3 Time-resolved Green's function of the telegrapher equation for an infinite medium	341
10.3 Comparison of the Hybrid Models Based on the RTE and Telegrapher Equation with the Solution of the Diffusion Equation	343
10.4 Conclusion	346
References	347
11 The Diffusion Equation for a Two-Layered Cylinder	351
11.1 Photon Migration through Layered Media	351
11.2 Initial and Boundary Value Problems for Parabolic Equations	353
11.3 Solution of the DE for a Two-Layer Cylinder	354
11.4 Examples of Reflectance and Transmittance of a Layered Medium	360
11.5 General Properties of Light Re-emitted by a Diffusive Medium	363
11.5.1 Mean time of flight in a generic layer of a homogeneous cylinder	364
11.5.2 Mean time of flight in a two-layer cylinder	366
11.5.3 Penetration depth in a homogeneous medium	367
11.5.4 Light re-emitted by a diffusive medium: summary	368
11.6 Summary Comments on Applications	368
11.7 Conclusion	369
References	369
12 The Diffusion Equation for an N-Layered Cylinder	375
12.1 Photon Migration through an N -Layered Cylinder	375
12.1.1 Solution for an N -layered cylinder in the FD and CW domain	376
12.1.2 Solution for an N -layered cylinder in the TD via Fourier transform	389
12.1.3 Solution for an N -layered cylinder in the TD via Laplace transform	390
12.2 Conclusion	391
References	392
13 Solutions of the Diffusion Equation with Perturbation Theory	393
13.1 Perturbation Theory in a Diffusive Medium and the Born Approximation	394
13.2 Perturbation Theory: Solutions for the Infinite Medium	399
13.2.1 Examples of perturbation for an infinite medium	400

13.3	Perturbation Theory: Solutions for the Slab	404
13.3.1	Examples of perturbation for a slab	412
13.4	Perturbation Approach for Hybrid Models	418
13.5	Perturbation Approach for a Layered Slab and for Other Geometries	420
13.6	Absorption Perturbation by Using the Internal Pathlength Moments	420
13.7	Closed-Form CW Perturbative Solutions of the DE with Absorbing Inclusions	422
13.7.1	Perturbation theory to the DE: iterative solutions for the CW domain	422
13.8	Summary Comments on Applications	426
13.9	Conclusion	426
	References	427
14	Time-Domain Raman and Fluorescence Analytical Solutions	433
14.1	Theoretical Approach and General Definitions	433
14.2	Heuristic Model	435
14.3	Raman Analytical Solutions Based on the Time-Dependent Diffusion Equation	438
14.3.1	Solution of the DE for the Raman signal in a parallelepiped	440
14.3.2	Solution of the DE for the Raman signal in a finite cylinder	443
14.4	Solution of the DE for Time-Resolved Fluorescence in an Infinite Medium	445
14.4.1	Theoretical approach and general definitions	445
14.5	Solution of the DE for a Raman Signal with Background Fluorescence	451
14.5.1	Time-resolved reflectance with the EBPC	453
14.5.2	Time-resolved reflectance with Fick's law	454
14.5.3	Improved numerical calculation	454
14.6	Examples of Raman Re-emission Calculated with Raman Forward Solvers	456
14.7	Summary Comments on Applications	459
14.8	Conclusion	460
	References	461
	Part III Validation of the Solutions	467
15	Elementary Monte Carlo Methods in Turbid Media	469
15.1	Photon Packets	469
15.2	Photon Trajectories	470
15.3	Photon Detection	473
15.4	Statistical Error in MC Results	474
15.5	MC Methods for Handling Photon Packet Weight	474
15.5.1	Microscopic Lambert–Beer law (mLBL) method	475
15.5.2	Alternative methods to the mLBL method	477

15.6	Boundary Conditions in MC: Compatibility between Classical and Anomalous Photon Transport	480
15.7	Interruption of the Propagation of a Photon Packet: Russian Roulette	483
15.7.1	Russian roulette applied to the mLBL and AW	484
15.8	Comparison of the Different Methods	489
15.8.1	General features	489
15.9	Conclusion	494
	References	495
16	Reference Monte Carlo Results	499
16.1	General Remarks	499
16.2	MC for an Infinite Homogeneous Medium	502
16.3	MC for a Homogeneous and a Layered Slab	503
16.4	Monte Carlo Code for a Slab Containing an Inhomogeneity	505
16.5	Description of the Monte Carlo Program Calculating the Maximum Mean Penetration Depth of Detected Photons	507
16.6	Description of the Monte Carlo Program Simulating the Raman Signal and the Fluorescence Signal	509
16.7	Conclusion	511
	References	511
17	Comparisons of Analytical Solutions with Monte Carlo Results	513
17.1	Introduction	513
17.2	Comparisons between MC and DE: Homogeneous Medium	514
17.2.1	Infinite homogeneous medium	514
17.2.2	Laterally infinite homogeneous slab	520
17.3	Validation of the DE Solutions for the Mean Maximum and Mean Average Penetration Depth	534
17.4	Comparison between MC and DE: Homogeneous Slab with an Internal Inhomogeneity	538
17.5	Comparisons between MC and DE: <i>N</i> -Layered Slab and <i>N</i> -Layered Cylinder	542
17.5.1	Two-layered slab	544
17.5.2	Four-layered cylinder	546
17.6	Comparisons between MC and Hybrid Models	549
17.6.1	Infinite homogeneous medium	549
17.6.2	Slab geometry	551
17.7	Comparisons between the MC and Heuristic Model for Ballistic Photon Detection	555
17.8	Outgoing Flux: Comparison between Fick and Extrapolated Boundary Partial Current Approaches	558
17.9	Validation of the DE Solutions for the Raman Signal	562

17.10 Conclusions	564
17.10.1 Infinite medium	565
17.10.2 Homogeneous slab	565
17.10.3 Layered slab	566
17.10.4 Slab with inhomogeneities inside	566
17.10.5 Finite diffusive media	566
17.10.6 Diffusion approximation: from a theoretical to a practical world	567
References	569
18 Numerical Implementations and Reference Database	571
18.1 Numerical Implementation of the Solutions	571
18.1.1 MATLAB® functions	571
18.1.2 Previous FORTRAN codes	575
18.2 Reference Database: Monte Carlo Simulations	575
18.2.1 Description of the MC-generated data files	575
References	580
Part IV Appendices	581
A Intuitive Justification of the Diffusion Approximation	583
References	584
B Fick's Law	585
Reference	588
C Boundary Conditions between Diffusive and Non-Scattering Media	589
D Boundary Conditions between Two Diffusive Media	593
References	596
E Diffusion Equation with an Infinite Homogeneous Medium: Separation of Variables and Fourier Transform Methods	597
E.1 Time-Dependent Source	597
E.2 Steady-State Source	600
E.3 Time-Dependent Source: Alternative Quick Method	602
E.4 CW Photon Flux for an Infinite Non-Absorbing Medium	603
Reference	604
F Anisotropic CW Diffusion Equation with an Infinite Homogeneous Medium: Separation of Variables and Fourier Transform Methods	605
G The Reciprocity Principle for a Plane Wave and a Pencil Beam Impinging on a Slab	611
References	613
H Temporal Integration of the Time-Dependent Green's Function	615
References	616

I	The Diffusion Equation: Separation of Variables and Eigenfunction Methods	617
	References	619
J	The Diffusion Equation with a Homogeneous Parallelepiped: Separation of Variables and Eigenfunction Methods	621
	Reference	627
K	Mean Square Displacement of the Light Penetration in Turbid Media Based on the RTE	629
	K.1 Elastically Scattered Light without Inelastic Interaction	629
	K.2 Elastically Scattered Light Including Fluorescence or Raman Scattering	633
	References	636
L	Expression for the Normalizing Factor	637
	References	638
M	Finite Integral Transforms	639
	M.1 Finite Hankel Transform of Order n over the Interval $[0, a]$	639
	M.1.1 Finite Hankel transform of $S(x) = f''(x) + \frac{1}{x}f'(x) - \frac{n^2}{x^2}f(x)$	640
	M.2 Inverse Finite Hankel Transform	641
	M.3 Finite “Shifted” Cosine Transform of a Periodic Function $f(y)$	641
	M.3.1 Finite “shifted” cosine transform of $f''(y)$	642
	M.4 Inverse Finite “Shifted” Cosine Transform	643
	References	644
N	Relationship between the Inverse Fourier Transform and Inverse Laplace Transform	645
	N.1 Inverse Fourier Transform Expressed as an Inverse Laplace Transform	645
	N.2 Numerical Inverse Laplace Transform	646
	References	647
O	Equivalence of the MC Methods	649
	O.1 Probability of Detecting a Trajectory Γ_m with the AW	649
	O.2 Probability of Detecting a Trajectory Γ_m with the AR	650
	O.3 Probability of Detecting a Trajectory Γ_m with the mLBL	650
	O.4 Probability of Detecting a Trajectory Γ_m with the ASPR	651
	O.5 Comparison of the AW, AR, mLBL, and ASPR	651
	Reference	652
	<i>Index</i>	653

 The supplemental materials for this book are available for download here:
http://spie.org/Samples/Pressbook_Supplemental/PM348_sup.zip

Acknowledgments

This second edition of the book is deeply indebted to Giovanni Zaccanti and Andrea Ismaelli, former coauthors of the first edition. The knowledge inherited from their contribution to the first edition has also supported the work done to achieve the present version. In particular, in the last three years we had a constant exchange of point of views with Giovanni Zaccanti for many chapters of this book. He has inspired our work at many levels, with suggestions, discussions, and observations throughout the development of the new parts of this monograph. He has been also generous with suggestions for the revision of the former chapters. The philosophy of this book is also deeply indebted to his lesson to keep together theories with their analytical and numerical evaluation.

We would like also to thank our numerous colleagues all over the world for their suggestions and stimulating discussions. A special thanks to the colleagues: Antonio Pifferi, Lorenzo Spinelli, Alessandro Torricelli and Andrea Farina from Politecnico di Milano; Angelo Sassaroli from Tufts University; Rosario Esposito from Università di Napoli; Dominik Reitzle from Institut für Lasertechnologien in der Medizin und Meßtechnik an der Universität Ulm, Mike Patterson from Hamilton Regional Cancer Centre, and Danilo Marcucci for his ability to solve complex practical problems.

The authors

A big special thanks to Giovanni Zaccanti, who introduced me to tissue optics, giving me passion and enthusiasm for studying photon migration. All my efforts in this monograph are due to his encouragement to enter this field. Finally, I thank my wife, Silvia, for her continued encouragement and tender love during the completion of this work, and for having the courage to marry me anyway.

Fabrizio Martelli

In memory of François Terrier – with his example, he taught me to take the best from any human being, with humility; and also to firmly defend simple reason in front of the “gurus” in the field.

Tiziano Binzoni

Disclaimer

While the authors have made their best efforts in preparing this book and the related supplemental materials (☺), they make no warranties, express or implied, that the formulas of the book, and the software and results contained in ☺, are free of error, consistent with any standard of merchantability, or will meet the requirements for any particular application. These materials should not be relied upon to solve a problem whose incorrect solution could result in injury to a person or loss of property. Use of the programs in such a manner is at the user's own risk. The authors disclaim all liability for direct or consequential damages resulting from use of the programs.

List of Acronyms

Acronym	Description
CW	Continuous wave
DA	Diffusion approximation
DE	Diffusion equation
DOT	Diffuse optical tomography
EBC	Extrapolated boundary condition
EBPC	Extrapolated boundary partial current
FD	Frequency-domain
FWHM	Full width half maximum
GRTE	Generalized radiative transfer equation
HG	Heney and Greenstein
MC	Monte Carlo
NIRS	Near infrared spectroscopy
PCBC	Partial current boundary condition
pdf	Probability density function (or probability distribution function)
RR	Russian roulette
RTE	Radiative transfer equation
SAA	Small angle approximation
TCSPC	Time correlated single photon counting
TD	Time-domain
TE	Telegrapher equation
TPSF	Temporal point spread function
TR	Time-resolved
ZBC	Zero boundary condition

List of Symbols

Warning: In a few exceptional cases, a symbol may temporarily acquire a second meaning, different than the one presented in the following tables. However, the context of its utilization eliminates any possible misunderstanding.

Mathematical conventions	
Notation	Description
$d\aleph$	Differential of \aleph
\aleph_G	\aleph is a Green's function
$\langle \aleph \rangle$	Mean value of \aleph
$\langle \aleph^n \rangle$	n^{th} -order moment of \aleph
$\delta\aleph$	Small perturbation of \aleph
$\hat{\aleph}$	\aleph is a unit vector
(x, y, z)	Cartesian coordinates
(ρ, θ, z)	Cylindrical coordinates
(ρ, θ, ψ)	Spherical coordinates

Special symbols	
Notation	Description
∞	Supplemental materials

Latin-based	
Notation	Description
a	Radius of the sphere
a'	Extrapolated radius of the sphere
A	Coefficient for the extrapolated boundary condition
c	Speed of light in vacuum
$\langle d_k^2 \rangle$	Mean square distance from the source after k scattering events
E	Energy
V	Volume, domain
\mathcal{P}	Power
D	Diffusion coefficient

(continued)

Latin-based Notation	Description
E_2, E_3, E_4	Coefficients for the boundary condition between two diffusive media
$f_1(\theta), f_2(\varphi), f_3(z)$	Probability distribution functions for the photon's scattering
\mathcal{F}	Fourier transform
F	Cumulative probability function
$F(\theta_e)$	Angular dependence of the outgoing radiance
g	Asymmetry factor
G	Green's function
h	Planck's constant
\mathcal{H}	Hankel transform
I	Radiance or specific intensity
I_n	Modified Bessel function of order n
\vec{J}	Flux vector
J_n	Bessel functions of order n
K_n	Modified Bessel function of order n
$\langle k \rangle$	Mean number of scattering events undergone by photons
\mathcal{L}	Laplace transform
l_{\max}	Maximum length of a photon trajectory
$l_s = 1/\mu_s$	Scattering mean free path
$l_a = 1/\mu_a$	Absorption mean free path
$l_t = 1/\mu_t$	Extinction mean free path
$l' = 1/\mu'_s$	Transport mean free path
$\langle l \rangle$	Mean pathlength of photons
$\langle l_R \rangle$	Mean pathlength for the total reflectance
$\langle l_T \rangle$	Mean pathlength for the total transmittance
L_x, L_y, L_z	Dimensions for the parallelepiped
L	Radius of the cylinder
L'	Extrapolated radius of the cylinder
n	Refractive index
n_i	Refractive index of the diffusive medium
n_e	Refractive index of the external medium
n_r	Relative refractive index
N	Particle concentration
N_{in}	Normalizing factor for the two-layer cylinder solution
$p(\theta)$	Scattering phase function (also called phase function)
$p(z)$	Penetration depth of photons
P	Impinging power of a light beam or detected power
P_n	Legendre polynomials
$Q_a = C_d/C_g$	Absorption efficiency
$Q_s = C_s/C_g$	Scattering efficiency

(continued)

Latin-based	
Notation	Description
$Q'_s = Q_s(1 - g)$	Reduced scattering efficiency
r	Radius of particles
\vec{r}	Position of the receiver
\vec{r}_0	Position of the source
\vec{r}_2	Position of the inhomogeneity
\vec{r}_3	Position of the detector
\vec{r}_m^+, \vec{r}_m^-	Sources positions with the method of images for the slab
\vec{r}_s	Position vector (x_s, y_s, z_s) of the real source
\vec{r}'	Position of the source
R	Reflectance
R_F	Fresnel reflection coefficient for unpolarized light
s	Thickness of the slab
\hat{s}	Direction of observation of radiance
S^{virt}	Virtual source term
t	Current observation time
t'	Emission time of the source
$\langle t \rangle$	Mean time of flight of photons
$\langle t^n \rangle$	n^{th} -order moment
t_0	Time of flight for ballistic photons
$\langle t_i \rangle$	Mean time of flight spent inside a layer i
T	Transmittance
u	Energy density
v	Speed of light inside the medium
w_{mp}	Contribution to the TPSF of the m^{th} trajectory
$x = 2\pi r/\lambda$	Size parameter
$\langle x_k \rangle, \langle y_k \rangle, \langle z_k \rangle$	Mean photon's coordinates after k scattering events
$Z_e = 2AD$	Extrapolated distance
Z_{\max}	Maximum penetration depth
$Z_{\max,i}$	Maximum penetration depth of the trajectory i
\bar{z}_{\max}	Average penetration depth
$\bar{z}_{\max,i}$	Average penetration depth of the trajectory i
z_0	Light source position at depth $1/\mu'_s$ along the z axis.
z_s	Light source position along the z axis
Greek-based	
Notation	Description
α	Angular range of the field of view of the receiver
β_m	Positive roots of the equation $J_m(\beta_m L') = 0$
Γ	Gamma function

(continued)

Greek-based Notation	Description
$\delta\Phi = \Phi^{\text{pert}} - \Phi^0$	Perturbation for the fluence rate
$\delta\Phi^a$	Absorption perturbation for the fluence rate
$\delta\Phi^D$	Scattering perturbation for the fluence rate
δR^a	Absorption perturbation for the reflectance
δR^D	Scattering perturbation for the reflectance
δT^a	Absorption perturbation for the transmittance
δT^D	Scattering perturbation for the transmittance
∂V	External physical boundary of a domain V
ϵ	Infinitesimal real value
ε	Source term of the radiative transfer equation
ε_0	Source term of the diffusion equation
θ	Polar angle
$\Theta(x)$	Step function (0 for $x < 0$ and 1 for $x \geq 0$)
λ	Wavelength
Λ	Single-scattering albedo
λ_n	Eigenvalues
$\mu = \cos(\theta)$	Cosine of the scattering angle θ
μ_a	Absorption coefficient
μ_s	Scattering coefficient
$\mu_t = \mu_a + \mu_s$	Extinction coefficient
$\mu'_s = \mu_s(1 - g)$	Reduced scattering coefficient
μ_{eff}	Effective attenuation coefficient
ξ_n	Eigenfunctions
ρ	Distance of the receiver from the pencil light beam
ρ_v	Volume fraction of particles
σ	Standard deviation
$\bar{\sigma}$	Standard error
σ_a	Absorption cross-section
σ_s	Scattering cross-section
σ_g	Geometrical cross-section
Σ	Area, surface
$\bar{\Sigma}$	Cross-section of the light beam
τ	Optical thickness or decay time
φ	Azimuthal angle
Φ	Fluence rate
Φ^0	Unperturbed fluence rate
Φ^{pert}	Perturbed fluence rate
Ω	Solid angle
Ω_d	Acceptance solid angle of the detection system

Preface

THIS manual is intended as an in-depth introduction to light propagation through biological tissues and diffusive media. After having treated the general theory of light diffusion and its physical and biological interpretation, the text presents the derivation of tens of already reported and newly derived analytical and/or semi-analytical solutions. These solutions are “ready to use” and represent the most employed algorithms appearing in tissue optics and related fields, where light is used to probe the optical and/or biological properties of diffusive media. By studying these examples, the readers should be able to directly apply the solutions to real laboratory problems or to develop their own specific solutions.

In a dedicated part of the manual, the solutions are tested against “gold standard” reference data, and their domain of validity is carefully discussed. This part also serves as a tutorial explaining how to generate suitable reference data and how to test new algorithms obtained, e.g., by the reader.

The text is particularly well suited for skilled master students but also for advanced scientists searching for rapid solutions, eliminating the problem of repeating cumbersome calculations in diffusive optics, and bypassing the need to search among hundreds of published papers.

Thus, to summarize, the present manual offers: **I)** A general introduction to the theory of photon migration; **II)** Ready-to-use analytical and/or semi-analytical solutions, derived from the general theory of photon migration, associated with problems typically encountered in biomedical optics and related domains; **III)** A validation of the proposed solutions by means of comparisons with Monte Carlo (MC) simulations; **IV)** A tutorial software package, implementing the most representative analytical and semi-analytical solutions of the manual (see supplemental material ☞) and **V)** A set of pre-calculated MC data serving as a gold-standard reference and allowing the reader to personally check the presented exact/approximated solutions (see ☞).

New to this edition

The manual is a completely revised version of the former published book titled *Light Propagation through Biological Tissue and other Diffusive Media: Theory, Solutions and Software*.¹ The new text wants to get closer to the

novelties of the theoretical modeling in photon transport that have appeared in recent years, thus putting the reader in the ideal conditions to comprehend the recent evolution of the theoretical modeling techniques. For this reason, together with an in-depth revision and expansion of the old chapters, eight new chapters have been included, covering new solutions and new aspects of the theory.

Theoretical Background

A simplifying hypothesis

The theoretical background of this book is the general theory of photon transport. The propagation of light through turbid media (i.e., media with scattering and absorption properties) can be accurately described in the mesoscopic and macroscopic scales with the radiative transfer equation (RTE). The RTE is a complex integro-differential equation of which analytical solutions are available for some geometries of practical interest.² Such solutions usually suffer from longer computation times and higher complexity compared to the solutions of other approximated theories such as the diffusion equation (DE). The DE is obtained from the RTE by making some simplifying assumptions. Compared to the solutions obtained with the RTE, the solutions derived from the DE, for the same problem, are certainly more efficient but may be approximated. For this reason, for each application in which the DE solutions are used, it is necessary to check their accuracy to ensure that the approximations are sufficiently small. This check can be performed by comparing the approximate solutions against the correspondent reference solutions obtained with the RTE (usually solved by the “gold standard” MC methods).

Why then the diffusion equation?

At this point, the obvious question remains: why to adopt the DE instead of an exact RTE? Diffusive media are turbid media for which the solutions of the DE provide a sufficiently accurate description of light propagation. Through these media, photons propagate in a diffusive regime. In fact, the paths followed by these photons, migrating, e.g., from a source to a detector, look like a random walk (zigzag trajectory). Thus, when these photons undergo a sufficiently high number of scattering events (generating the zigzag trajectory), we obtain a diffusive regime. The important point here is that in daily life we can find a long list of media for which a diffusive regime of propagation can be assumed. This list includes, for example, highly scattering media such as biological tissues, agricultural products, wood, paper, plastic materials, sugar, salt, and milk, for which the diffusive regime can be reached even when the volume of the medium is smaller than a cubic centimeter. The list can also include slightly scattering media, such as clouds of gas and dust in

the interstellar medium; in these cases, an extremely large volume is necessary to obtain the diffusive regime. This book is devoted to the study of light propagation through scattering media with a special emphasis on biological tissues and diffusive media. This is the reason why the DE becomes of fundamental interest. Moreover, the diffusive regime of light propagation is a reference and limit regime under which forward solvers can be obtained with extraordinary simplified characteristics. We will see that the above described limits of the DE actually represent its main advantages, which can be fruitfully used in applied science.

Why present solutions in the time domain?

In our study we have given special emphasis to studying light propagation in the time domain,³ i.e., providing solutions of the DE for a temporal Dirac delta source, and this fact requires a comment. This choice is motivated by the fact that this domain of analysis is widely spread in many applications where short-pulsed laser sources are used. However, the literature includes commonly used solutions in other transformed domains such as the temporal-frequency and spatial-frequency Fourier domains^{4,5} where temporal and spatial modulated sources are used. It is important to note that solutions in other transformed domains, such as the temporal-frequency and spatial-frequency domains, can be fully reconstructed by making use of the solutions in the time domain and in the continuous wave (CW) domain³ (a “special” case of the time domain where a continuously emitting source is used).⁵ Thus, the solutions presented in this book can, in principle, cover all the domains of analysis.

For the time domain, it is also finally important to note that it has, in principle, the maximum information content since absorption and scattering effects can be more easily decoupled while studying the RTE in this domain. Indeed, when looking at measurable time-domain quantities, such as time-resolved detected light, the absorption and scattering terms can be identified as affecting very different and independent parts of the measured temporal profile. In fact, absorption interactions are progressively affecting late times, while scattering strongly affects the early part of the detected signal. This fact can lead to an evident advantage in terms of understanding the different physical phenomena and the measurement techniques of the optical properties. For this reason, the time domain represents a primary regime for studying and understanding photon transport. However, the time domain and CW domain can be extremely accurate in measuring the optical properties of diffusive media, showing that through designed experiments absorption and scattering can be decoupled also in the CW domain.^{6,7} In this book, the time domain (including the special CW case) is the background for studying photon transport. In any case, for tutorial purposes, in this manual few examples of solutions will be discussed in the other domains.

Note that the expressions “time (temporal) domain” and “CW domain,” utilized for simplicity in this manual, in general should be more precisely written with the longer expressions “spatial time (temporal) domain” and “spatial CW domain.”

Using this manual in everyday practice

Solutions of photon transport can find a natural use in the assessment of the optical properties (absorption and scattering) of scattering media. In fact, these measurements often need, in the inversion procedure, a forward model that describes the dependence of the detected light on the values of the optical properties. Moreover, in the biological domain, the optical properties may in turn be linked to biological quantities important for the understanding of related underlying physiological mechanisms (see Fig. 1). The latter biological application is made possible by the fact that near-infrared light (typical light utilized for biological measurement) can penetrate deeply into tissues (some centimeters) and is sensitive to several tissue constituents.

More specifically, any biological tissue represents a complex random medium wherein light undergoes many scattering events and where, in many practical cases, its propagation may be suitably described as a diffusion process. The interaction of the near-infrared light with a biological tissue is dominated, with few exceptions, by scattering effects (the distance between two subsequent scattering events is on the order of $\approx 100 \mu\text{m}$). However, most of the physiological information is led by the absorption of chromophores (e.g., oxy- or deoxy-hemoglobin) naturally present in the tissues. The




Figure 1 General approach allowing one to extract biological quantities from light that has traveled through a tissue.

possibility to treat this problem as a diffusion process, allows us to assess the small contribution of the absorption by isolating it in a very efficient manner from scattering. It is in this sense that the DE solutions proposed in this manual may represent a very powerful tool for the physiologist, the medical doctor or the engineer involved in the development of new instrumentation for biomedical optics.^{3,8,9} These reasons are also why the solutions reported in this manual are already at the core of well-known instrumentation, such as near-infrared spectroscopy (NIRS) and diffuse optical tomography (DOT).^{10,11}

Organization of the Manual

The text is organized in three main parts: I) General theory of photon migration; II) Analytic and semi-analytic solutions; and III) Validation of the solutions.

Part I

Part I introduces the whole book and describes the theories that will be used. This part ranges from Ch. 1 to Ch. 4.

- In Ch. 1, the general concepts and the physical quantities necessary to describe light propagation through absorbing and scattering media are introduced.
- In Ch. 2, the RTE and its main properties are described and discussed.
- In Ch. 3, the DE is derived starting from the RTE, and the reader is introduced to the general properties of the DE.
- In Ch. 4, the classic anisotropic diffusion equation (ADE) is derived from the anisotropic generalized RTE.

Part II




In part II, specific analytical and semi-analytical solutions derived from the theories presented in part I are carefully described. This part ranges from Ch. 5 to Ch. 14.

- Chapter 5 is devoted to solutions of the DE for homogeneous media.
- Chapter 6 is dedicated to ballistic and quasi-ballistic radiation and to a heuristic solution designed to model the effect of scattering in ballistic photon detection.
- Chapter 7 provides a general introduction to the calculation of the penetration depth in scattering media delivering analytical solutions for a diffusive slab.
- Chapter 8 focuses on the radial and lateral penetration depth in a homogeneous slab.

- Chapter 9 analyzes the detector-free propagation of light through a scattering and absorbing medium.
- Chapter 10 represents a special topic: hybrid solutions for a homogeneous slab, based on solutions of the RTE and the telegrapher equation.
- In Ch. 11, a solution of the DE for a two-layer medium is described.
- In Ch. 12, solutions for N -layered media are presented.
- In Ch. 13, solutions of the perturbed DE, when small defects are introduced into the medium, are obtained with the Born approximation.
- In Ch. 14, time-domain DE solutions for the Raman and the fluorescence signals are presented.

Part III

In part III, the obtained solutions are validated by means of comparisons with the results of reference MC simulations. This part ranges from Ch. 15 to Ch. 18.

- In Ch. 15, elementary MC methods typically utilized to describe photon migration in biomedical optics and, in general, in turbid media are presented.
- In Ch. 16, the different MC codes implemented to generate the reference data utilized to test the analytical and semi-analytical solutions proposed in this manual are carefully described in detail.
- Chapter 17 is dedicated to the validation of the solutions presented in part II. The validations are done by means of comparisons with the MC reference data of Ch. 16, and the results of the comparisons are described and discussed.
- In Ch. 18, the software included in  is described (MATLAB functions). The collection of MATLAB functions estimates almost all the solutions of photon transport presented in the manual. A large set of reference MC data (Excel *.xlsx format), which can be used as a standard reference, is also included in . Note that the old software named *Diffusion&Perturbation* together with the FORTRAN codes of the solutions of Ref. 1 can always be found in .

Beyond Photon Migration and Biomedical Optics

It is worthwhile at this point to conclude this preface by recalling that diffusive processes can be placed in a more general context that goes beyond biomedical optics. This fact may be better appreciated by noting that mathematical equations are in a way quite similar to words; i.e., they acquire their real meaning only when immersed in a precise context. This appears to

be also the case for the DE. In fact, many media (agricultural products, wood, food, plastic materials, paper, pharmaceutical products, etc.) have optical properties at visible and/or near-infrared wavelengths for which light propagation in the diffusive regime can be established. Therefore, the same techniques used to study biological tissues can be applied to the monitoring of industrial processes, for quality control,^{12–17} or in completely different fields.

Indeed, the theories presented in this manual, i.e., the RTE and the DE, arise from the more general transport theory.^{18,19} Transport theory concerns the transport of “particles” through a “background medium” and is used in several applications where the transported particles and the host medium can have a very *different nature* and be represented by very *different physical quantities*. Thus, in general, the transport equation takes its sense depending on the physical phenomenon we want to describe. The advent of personal computers has made several numerical methods affordable to solve transport theory, and the availability of numerical solutions has further encouraged the use of this theory to solve a panoply of practical problems. The list of applications is surprisingly long and eclectic. Duderstadt and Martin¹⁹ summarized for us some of the most relevant applications of transport theory:

Neutron transport in nuclear reactors, Shielding of radioactive sources, Penetration of X-ray through matter, Brownian motion, Sound propagation, Propagation of light through the atmosphere, Propagation of light through stellar matter, Gas dynamics, Plasma dynamics, Transport of natural aerosols in the atmosphere, Diffusion of molecules in gases and fluids, Multiple scattering of electrons, Diffusion of holes and electrons in semiconductors, Photon transport through biological tissues, Transport of particles air pollution, Traffic flow, etc.

Thus, despite the different kinds of particles (neutrons, gas molecules, atoms of plasma, electrons, photons) or quantities that may be involved in the transport processes, all of these phenomena can be studied and described by using the same basic equation. When the transport process becomes diffusive, the transport equation can be simplified through the DE. Given a physical quantity u representative of the physical process studied (for instance, the particle density), whenever u is described by the equation

$$\frac{\partial}{\partial t}u(\vec{r},t) - k_1\nabla^2u(\vec{r},t) + k_2u(\vec{r},t) = 0, \quad (1)$$

we are dealing with a diffusive process. The coefficient k_1 is related to the spatial and temporal scale of the diffusive phenomenon studied, and the coefficient k_2 is related to the probability that the transported particles will be absorbed.

For example, for radiative transfer processes, k_1 will be related to the transport coefficient or diffusion coefficient of photons through the medium. For neutron transport processes, k_1 will be related to the transport coefficient of neutrons through the medium. For the diffusion of electrons and holes in semiconductors, k_1 will be related to the electrical conductivity. For the diffusion of molecules in gases, k_1 will be related to the transport coefficient of the molecules through the gas. The above equation with $k_2 = 0$ can be also used to describe the conduction of heat in solid isotropic materials, where u will be the temperature of the medium, and k_1 will be the thermometric conductivity of the substance, i.e., a material-specific quantity depending on the thermal conductivity, the density, and the specific heat of the substance.²⁰ The same equation is thus associated with very different physical concepts.

Usually, a diffusion process is associated with the random movement of a certain kind of particles. However, in some situations this is not so evident, as in the case of the physical diffusion of heat or the diffusion of fluids through porous materials.²¹ This fact manifests the dichotomous nature of the diffusion process.²¹ The dichotomous nature of diffusion theory has been noted by Narasimhan,²¹ who showed how the equations of physical diffusion, i.e., Fourier theory of heat conduction,²² and stochastic diffusion, derived from the Laplace theory of probability,²³ arose. Later, Albert Einstein obtained a single molecular-kinetic heat theory^{24,25} wherein the equivalence between the diffusion coefficient of the physical process and of the random event was used. In physics, the work of Fourier inspired the use of the diffusion equation to study electricity phenomena, diffusion of molecules, and fluid flow.²¹ The probability theory of Laplace inspired, at the end of the nineteenth century, scientists, economists, and statisticians to formulate a stochastic diffusion equation wherein the concept of probability density was used.²¹ Given the high number of diffusion processes that can be observed in natural phenomena, we can view diffusion as a multi-fold theory that can assume very different physical meanings depending on the nature of the processes.

The above few examples and comments clearly show us that with the same mathematical tool different physical processes can be studied; however, given the intrinsic differences between the physical processes involved, each one requires a different physical interpretation of Eq. (1). These considerations want to emphasize that the solutions presented in this manual may have a quite larger field of use than that of tissue optics. Indeed, it is a characteristic of nature to show sometimes similar physical laws when processes involve different physical quantities.

We finally point out that the theories and solutions presented in this book have been obtained with reference to media illuminated by unpolarized light. However, the solutions are also applicable to media illuminated by polarized light, which commonly occurs when laser sources are used. In fact, multiple

scattering randomly changes the polarization of scattered light so that light detected after a sufficiently large number of scattering events is completely depolarized. The previous state of polarization only remains near the source where photons arrive after a small number of scattering events. It has been shown with numerical simulations^{26,27} and experiments²⁷ that when propagation occurs in the diffusive regime (i.e., when the solutions presented in this book become applicable), received photons have lost almost all traces of the initial state of polarization, and the results for polarized light become almost identical to those obtained for unpolarized light.

Thousands of papers on the diffusion of light have been published in scientific journals. For this reason, the references presented in this manual cannot *a fortiori* be exhaustive. Thus, we will mention only a few good introductory references, such as the monograph dedicated to the diffusion of light by Ripoll.⁴ This reference, mainly refers to publications in the field of biomedical optics and more precisely to the field of NIRS and diffuse optical tomography. In order to have a more complete view of photon transport, we also suggest the reader to refer to other books on light propagation.^{18,19,28–33}

References

- [1] F. Martelli, S. D. Bianco, A. Ismaelli, and G. Zaccanti, *Light Propagation through Biological Tissue and Other Diffusive Media: Theory, Solutions, and Software*. SPIE Press, Bellingham, 2009.
- [2] A. Liemert, D. Reitzle, and A. Kienle, “Analytical solutions of the radiative transport equation for turbid and fluorescent layered media,” *Sci. Rep.*, **vol. 7**, p. 3819, 2017.
- [3] L. V. Wang and H. Wu, *Biomedical Optics, Principles and Imaging*. John Wiley and Sons, New York, 2007.
- [4] J. Ripoll, *Principles of Diffuse Light Propagation*. World Scientific, Cambridge, 2012.
- [5] S. Gioux, A. Mazhar, and D. J. Cuccia, “Spatial frequency domain imaging in 2019: Principles, applications, and perspectives,” *J. Biomed. Opt.*, **vol. 24**, p. 071613, 2019.
- [6] L. Spinelli, M. Botwicz, N. Zolek, M. Kacprzak, D. Milej, P. Sawosz, A. Liebert, U. Weigel, T. Durduran, F. Foschum, A. Kienle, F. Baribeau, S. Leclair, J.-P. Bouchard, I. Noiseux, P. Gallant, O. Mermut, A. Farina, A. Pifferi, A. Torricelli, R. Cubeddu, H.-C. Ho, M. Mazurenka, H. Wabnitz, K. Klauenberg, O. Bodnar, C. Elster, M. Bénazech-Lavoué, Y. Bérubé-Lauzière, F. Lesage, D. Khoptyar, A. A. Subash, S. Andersson-Engels, P. D. Ninni, F. Martelli, and G. Zaccanti, “Determination of reference values for optical properties of liquid phantoms based on intralipid and india ink,” *Biomed. Opt. Express*, **vol. 5**, pp. 2037–2053, 2014.

- [7] F. Foschum, F. Bergmann, and A. Kienle, “Precise determination of the optical properties of turbid media using an optimized integrating sphere and advanced Monte Carlo simulations. Part 1: theory,” *Appl. Opt.*, vol. **59**, pp. 3203–3215, 2020.
- [8] V. Tuchin, *Tissue Optics*. SPIE Press, Bellingham, WA, 2000.
- [9] I. Bigio and S. Fantini, *Quantitative Biomedical Optics: Theory, Methods, and Applications, Cambridge Texts in Biomedical Engineering*. Cambridge University Press, 2016.
- [10] Y. Yamada, H. Suzuki, and Y. Yamashita, “Time-domain near-infrared spectroscopy and imaging: A review,” *Appl. Sci.*, vol. **9**, p. 1127, 2019.
- [11] Y. Yamada and S. Okawa, “Diffuse optical tomography: Present status and its future,” *Opt. Rev.*, vol. **21**, pp. 185–205, 2014.
- [12] P. Tatzert, M. Wolf, and T. Panner, “Industrial application for inline material sorting using hyperspectral imaging in the NIR range,” *Real-Time Imaging*, vol. **11**, pp. 99–107, 2005.
- [13] M. Blanco, J. Coello, H. Iturriaga, S. MasPOCH, and C. de-la Pezuela, “Near-infrared spectroscopy in the pharmaceutical industry,” *Analyst*, vol. **123**, pp. 135R–150R, 1998.
- [14] Y. Roggo, P. Chalus, L. Maurer, C. Lema-Martinez, A. Edmond, and N. Jent, “A review of near infrared spectroscopy and chemometrics in pharmaceutical technologies,” *J. Pharm. Biomed. Anal.*, vol. **44**, pp. 683–700, 2007.
- [15] G. Reich, “Near-infrared spectroscopy and imaging: Basic principles and pharmaceutical applications,” *Appl. Opt.*, vol. **57**, pp. 1109–1143, 2005.
- [16] M. C. Cruz and J. A. Lopes, “Quality control of pharmaceuticals with NIR: from lab to process line,” *Vib. Spectrosc.*, vol. **49**, pp. 204–210, 2009.
- [17] M. Zude, *Optical Monitoring of Fresh and Processed Agricultural Crops, (Contemporary Food Engineering Series)*. CRC Press, Boca Raton, Florida, 2009.
- [18] K. M. Case and P. F. Zweifel, *Linear Transport Theory*. Addison-Wesley Publishing Company, Massachusetts, Palo Alto, London, 1967.
- [19] J. J. Duderstadt and W. R. Martin, *Transport Theory*. John Wiley and Sons, New York, 1979.
- [20] H. S. Carslaw and J. C. Jaeger, *Conduction of Heat in Solids*. Oxford University Press, Ely House, London, 1959.
- [21] T. N. Narasimhan, “The dichotomous hystory of diffusion,” *Physics Today*, vol. **62**, pp. 48–53, 2009.
- [22] J. B. J. Fourier, *Théorie Analytique de la Chaleur*. Didot Paris, 1822.
- [23] P. S. Laplace, *Théorie Analytique des Probabilités*. Ve Courcier Paris, 1812.
- [24] A. Einstein, “Investigations on the theory of the Brownian movement,” R. Fürth, ed., *A. D. Cowper, trans.*, Methuen, London 1926, 1926.

-
- [25] A. Einstein, *Investigations on the Theory of the Brownian Movement*. Dover Publications, Inc., 1956.
- [26] P. Bruscaioni, G. Zaccanti, and Q. Wei, “Transmission of a pulsed polarized light beam through thick turbid media: numerical results,” *Appl. Opt.*, **vol. 32**, pp. 6142–6150, 1993.
- [27] J. M. Schmitt, A. H. Gandjbakhche, and R. F. Bonner, “Use of polarized light to discriminate short-path photons in a multiply scattering medium,” *Appl. Opt.*, **vol. 31**, pp. 6535–6546, 1992.
- [28] H. C. van de Hulst, *Light Scattering by Small Particles*. John Wiley and Sons, New York, 1957.
- [29] S. Chandrasekhar, *Radiative Transfer*. Oxford University Press, London/Dover, New York, 1960.
- [30] A. Ishimaru, *Wave Propagation and Scattering in Random Media*, **vol. 1**. Academic Press, New York, 1978.
- [31] A. Ishimaru, *Wave Propagation and Scattering in Random Media*, **vol. 2**. Academic Press, New York, 1978.
- [32] E. Akkermans and G. Montambaux, *Mesoscopic Physics of Electrons and Photons*, Cambridge University Press, Cambridge, 2007.
- [33] R. Carminati and J. C. Schotland, *Principles of Scattering and Transport of Light*, Cambridge University Press, Cambridge, 2021.