

PROCEEDINGS OF SPIE

Signal and Data Processing of Small Targets 2014

Oliver E. Drummond
Editor

7–8 May 2014
Baltimore, Maryland, United States

Sponsored and Published by
SPIE

Volume 9092

Proceedings of SPIE 0277-786X, V. 9092

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Signal and Data Processing of Small Targets 2014, edited by Oliver E. Drummond, Proc. of SPIE
Vol. 9092, 909201 · © 2014 SPIE · CCC code: 0277-786X/14/\$18 · doi: 10.1117/12.2072942

Proc. of SPIE Vol. 9092 909201-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Signal and Data Processing of Small Targets 2014*, edited by Oliver E. Drummond, Proceedings of SPIE Vol. 9092 (SPIE, Bellingham, WA, 2014) Article CID Number.

ISSN: 0277-786X

ISBN: 9781628410297

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2014, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/14/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

- vii *Conference Committee*
- ix *Introduction*
- xiii *Signal and Data Processing Workshop*

SESSION 1 SIGNAL PROCESSING OF SMALL TARGETS

- 9092 02 **Application of rich feature descriptors to small target detection in wide-area persistent ISR systems** [9092-1]
C. W. Miller, J. A. Edelberg, M. L. Wilson, U.S. Naval Research Lab. (United States);
K. M. Novak, Tekla Research Inc. (United States)
- 9092 03 **Detection of small targets and their characterization based on their formation using an image feature network-based object recognition algorithm** [9092-2]
J. Straub, Univ. of North Dakota (United States)
- 9092 04 **Advancement and results in hostile fire indication using potassium line missile warning sensors** [9092-3]
J. Montgomery, M&M Aviation (United States); M. Montgomery, International Technologies Transfer Coalition (Colombia); R. Hardie, Univ. of Dayton (United States)
- 9092 05 **Plot enchaining algorithm: a novel approach for clustering flocks of birds** [9092-4]
G. Büyükkaksoy Kaplan, A. Lana, TUBITAK BILGEM Information Technologies Institute (Turkey)
- 9092 07 **Multiset singular value decomposition for joint analysis of multi-modal data: application to fingerprint analysis** [9092-6]
D. K. Emge, U.S. Army Edgewood Chemical Biological Ctr. (United States); T. Adalı, Univ. of Maryland, Baltimore County (United States)

SESSION 2 TRACKING SMALL TARGETS I

- 9092 09 **Particle filter for long range radar in RUV** [9092-8]
K. Romeo, P. Willett, Y. Bar-Shalom, Univ. of Connecticut (United States)
- 9092 0A **Tracking low SNR targets using particle filter with flow control** [9092-9]
N. Moshtagh, P. M. Romberg, M. W. Chan, Lockheed Martin Space Systems Co.
(United States)
- 9092 0B **How to avoid normalization of particle flow for nonlinear filters, Bayesian decisions, and transport** [9092-10]
F. Daum, J. Huang, Raytheon Co. (United States)

- 9092 0C **Seven dubious methods to mitigate stiffness in particle flow with non-zero diffusion for nonlinear filters, Bayesian decisions, and transport** [9092-11]
F. Daum, J. Huang, Raytheon Co. (United States)
- 9092 0D **A comparison of multiple-IMM estimation approaches using EKF, UKF, and PF for impact point prediction** [9092-12]
T. Yuan, Y. Bar-Shalom, P. Willett, R. Ben-Dov, S. Pollak, Univ. of Connecticut (United States)
- 9092 0E **The CPHD and R-RANSAC trackers applied to the VIVID dataset** [9092-28]
R. Georgescu, United Technologies Research Ctr. (United States); P. Niedfeldt, Brigham Young Univ. (United States); S. Zhang, A. Surana, A. Speranzon, O. Erdinc, United Technologies Research Ctr. (United States)

SESSION 3 TRACKING SMALL TARGETS II

- 9092 0F **Beyond covariance realism: a new metric for uncertainty realism** [9092-15]
J. T. Horwood, J. M. Aristoff, N. Singh, A. B. Poore, Numerica Corp. (United States); M. D. Hejduk, Astrorum Consulting (United States)
- 9092 0G **IMM filtering on parametric data for multi-sensor fusion** [9092-16]
S. Shafer, M. Owen, Space and Naval Warfare Systems Ctr. Pacific (United States)
- 9092 0H **A comparative study of new non-linear uncertainty propagation methods for space surveillance** [9092-17]
J. T. Horwood, J. M. Aristoff, N. Singh, A. B. Poore, Numerica Corp. (United States)
- 9092 0J **A new computational method for ambiguity assessment of solutions to assignment problems arising in target tracking** [9092-19]
A. D. Mont, C. P. Calderon, A. B. Poore, Numerica Corp. (United States)
- 9092 0K **Advancement of an algorithm** [9092-20]
D. T. Dunham, T. L. Ogle, Vectraxx, Inc. (United States); P. K. Willett, B. Balasingam, Univ. of Connecticut (United States)
- 9092 0L **Approximate calculation of marginal association probabilities using a hybrid data association model** [9092-21]
M. Baum, P. Willett, Y. Bar-Shalom, Univ. of Connecticut (United States); U. D. Hanebeck, Karlsruhe Institute of Technology (Germany)

SESSION 4 SIGNAL AND DATA PROCESSING

- 9092 0M **ML-PMHT track detection threshold determination for K-distributed clutter** [9092-23]
S. Schoenecker, Naval Undersea Warfare Ctr. (United States); P. Willett, Y. Bar-Shalom, Univ. of Connecticut (United States)
- 9092 0N **Bias estimation for moving optical sensor measurements with targets of opportunity** [9092-25]
D. Belfadel, R. W. Osborne III, Y. Bar-Shalom, Univ. of Connecticut (United States)

9092 00 **Tracking filter initialization with Doppler-biased multistatic time-of-arrival measurements**
[9092-26]
W. Dou, Y. Bar-Shalom, P. K. Willett, Univ. of Connecticut (United States)

Author Index

Conference Committee

Symposium Chair

David A. Whelan, Boeing Defense, Space, and Security
(United States)

Symposium Co-chair

Nils R. Sandell Jr., Strategic Technology Office, DARPA
(United States)

Conference Chair

Oliver E. Drummond, Consulting Engineer (United States)

Conference Co-chair

Richard D. Teichgraeber, Consulting Engineer (United States)

Conference Program Committee

Liyi Dai, U.S. Army Research Office (United States)

Darren K. Emge, U.S. Army Edgewood Chemical Biological Center
(United States)

Denise E. Jones, U.S. Army Space and Missile Defense Command
(United States)

Karla K. Priestersbach, Missile Defense Agency (United States)

Steven W. Waugh, Defense Threat Reduction Agency (United States)

Session Chairs

- 1 Signal Processing of Small Targets
Darren K. Emge, U.S. Army Edgewood Chemical Biological Center
(United States)
Steven W. Waugh, Defense Threat Reduction Agency (United States)
- 2 Tracking Small Targets I
Richard D. Teichgraeber, Consulting Engineer (United States)
Darren K. Emge, U.S. Army Edgewood Chemical Biological Center
(United States)
- 3 Tracking Small Targets II
Steven W. Waugh, Defense Threat Reduction Agency (United States)
Richard D. Teichgraeber, Consulting Engineer (United States)

- 4 Signal and Data Processing
Richard D. Teichgraeber, Consulting Engineer (United States)
Steven W. Waugh, Defense Threat Reduction Agency (United States)
- Signal and Track Processing Workshop
Oliver E. Drummond, Consulting Engineer (United States)

Introduction

This was the 26th in a series of SPIE conferences to focus on signal and data processing of small targets. Most SPIE conferences are concerned with processing large targets, namely, targets large enough for traditional automatic (or assisted) target recognition (ATR) with a single frame of data. A 2D target large enough for ATR is typically larger than 100 resolution elements, for example, larger than 10 by 10 pixels. In contrast, this conference series introduced a different thrust for SPIE in 1989: processing targets smaller than 100 pixels.

This year the conference was held in Baltimore after being held in San Diego the prior year. In the future, these conferences are expected to be located in Baltimore in the spring on even years and continue to be in San Diego in the summer on odd years. The proceedings volumes of the prior conferences in this series in 1989 through 2013 are SPIE Volumes 1096, 1305, 1481, 1698, 1954, 2235, 2561, 2759, 3163, 3373, 3809, 4048, 4473, 4728, 5204, 5428, 5913, 6236, 6699, 6969, 7445, 7698, 8137, 8393, and 8857. A CD of all the papers in this series from 1989 through 2000 is available from SPIE; it is Volume 20, which is a two-disk set.

The various types of processing tasks with sensor-derived data of targets can be broadly categorized into four generic classes, as follows:

- Sensor tracking of a single (bright) target
- Image and data processing of large targets
- Signal and data processing of medium sized targets
- Signal and data processing of small targets.

Note that the size indicated in this list is in terms of the number of resolution elements or pixels. The motivation for categorizing the processing of sensor data this way is because most of the appropriate algorithms for each of these problems differ substantially from that of the others. This conference concentrates on small targets that include:

- Point source objects
- Small-extended objects
- Clusters of point source and small-extended objects or threat clouds, such as chem/bio threats.

The size of a typical point source target in the field of view is from less than one to about 20 pixels (resolution elements) wide, depending on the sensor design. Although the processing of point targets with data from a single sensor has been

studied extensively, there are still many interesting challenges in this field. In contrast, the state of the art of sensor data fusion and for processing small extended-objects, clusters, and chem/bio clouds is far less mature, but interest is growing. The topic of chem/bio has been added because the methods for tracking clusters of objects and tracking of small extended-objects may be applicable with modification. Similarly, the topic of processing for defense against cyber threats has been added because the processing methods developed for tracking multiple, close- targets may be helpful.

Small targets that are not point source objects include dismounts, small-extended objects, and unresolved closely spaced objects, sometimes called clumps. While these small targets provide little detailed information useful for ATR, they do exhibit some shape and size information that might be useful in tracking. In addition, an extended object may at times be partially or fully obscured or may obscure rather than add to the background. The apparent size and shape of a target can differ from sensor-to-sensor and over time; this may have to be taken into account. Similarly, cluster and chem/bio processing offers significant advantages and unique challenges since they can change in size, shape, and orientation as well as motion.

New or improved sensors, increasingly demanding system requirements, efficacious countermeasures, severe operating environments, processor hardware limitations, new innovative processing methods, and challenging threat scenarios, drive current algorithm development. Of special interest is the ability to track low observables or in a moderate to dense population of threshold exceedances caused by clutter, false signals, or targets that are close or crossing along with the limitation in sensor resolution.

Note that the process of algorithm development is emphasized here because Monte Carlo simulations are needed to obtain functional performance of tracking with confidence. Tracking functional performance is not amenable to mathematical analysis because it depends on random variables from both continuous sample space and discrete sample space. This property makes algorithm design, performance evaluation, and the entire algorithm development process complex and challenging. No surprise that performance results can initially appear counter intuitive.

There is an increasing need for improvements in "algorithm efficiency," i.e., improved performance relative to the processor and communication resources required. A major trade in selecting algorithms for processing small targets is performance versus required processor and communications capacity. Also needed are accurate evaluations and predictions of required resources and functional performance under realistic conditions. Major improvements are needed in: multiple spectral signal processing, multiple target tracking, network centric sensor data fusion, multiple frame data association, multiple frame signal

processing (such as track-before-detect), effective management of sensors, communications, and processor resources, MHT methods use in cyber domain, target classification/typing, processing of features and attributes, efficient signal processing and tracking of chem/bio clouds, adaptive tracking/data fusion, and the interaction between signal processing and tracking. Many of these issues are highlighted in Figure 1. In addition, there is a need for an indication of track quality and related information in the tracker output to the users and functions that depend on the tracker data to facilitate the improvement of their performance.

The term *fuse-before-detect* in Figure 1 refers to the combining (fusing) of raw data from multiple sensors before finalizing detection at the signal processing level. I coined this term in recognition of the increased interest in improving performance by fusing sensor data early in the processing chain. Note also in Figure 1 the possible use of track data at the signal processing level. There is a growing recognition of the importance of using all available information in every stage of the processing and hence the use of feedback.




Figure 1. Sensor Signal and Data Processing

This conference series has provided a forum to address these issues through discussion of algorithms and simulations for digital signal processing, target tracking, and sensor data fusion, i.e., the functions of data association (correlation) and filtering, including related data processing, such as system resource management, and target classification/typing, all under challenging conditions. Of the four half-day sessions this year, one addressed signal-level

processing, two addressed tracking small targets, and one addressed signal and data processing including network wide processing. The distinction between the two stages of single sensor-level processing is shown in Figure 1.

These proceedings papers contain a wealth of information that address the issues critical to practical processing under the challenging conditions outlined above. For example, important advances were presented in: efficient particle filter methods to accommodate non-linearities, alternative data association approaches, improved sensor data fusion by estimation of sensor biases, use of attributes to improve target detection, and new metrics for evaluating uncertainty consistency and association ambiguity. The techniques presented are strong candidates to contribute to achieving high performance target tracking and sensor data fusion plus related processing of low observables or in an environment of moderately dense detections and with abruptly maneuvering targets. These and other innovative yet practical techniques were presented that contribute to improving algorithm efficiency for processing small targets.

Many of the experts and organizations that are making the major important advances in practical sensor signal and data processing have contributed to these proceedings. We thank the authors, session chairs, attendees, and SPIE coordinators for making this conference such a success. They have taken part in enthusiastic discussions that generated better understanding for the application of the techniques presented and have stimulated thoughts for further improvements. Informal discussions during the coffee breaks were especially productive, as usual. With these proceedings, the authors have extended the state of the art of analysis, algorithms, and simulations for the use of data from one or more sensors used in signal and data processing of small targets and related processing.

Oliver E. Drummond, Ph.D., P.E.
Consulting Engineer
Phone: 310-838-5300
E-Mail: Drummond@Att.Net
Web site: <http://ODrummond.com>

Workshop Topic:
Signal and Data Processing

Presentation Title:
**Some fundamentals unique to
tracking multiple, close, small
targets**

This series of conferences has added a daytime workshop. The conference proceedings and the SPIE Digital Library use a copy of each author's PowerPoint file instead of a manuscript.

Some Fundamentals Unique To Tracking Multiple, Close Small-Targets

8 May 2014

Oliver E. Drummond, Ph.D., P.E.
Consulting Engineer
310-838-5300

Abstract

MTT Lecture Notes
Copyright © 2014
Oliver E. Drummond

Tracking multiple, close, small, targets using sensor measurements can exhibit fundamental characteristics that are unique compared to most other typical estimation processing.

A common cause is the misassociations due to close measurements relative to the sensor accuracy. The possibility of misassociations greatly complicates the development process and causes it to be uniquely challenging and both the performance evaluation process and the track processing to be complex. For simplicity, the discussion of random variables from continuous sample space is limited to those that are generated by linear, Gaussian process.

The discussion includes typical causes of the complexity, some strictly optimal design criteria, some practical constraints to reduce process complexity, and the complications of performance evaluation.

Sp14FundMTT_Wrksp 2

Ground Rules

MTT Lecture Notes
Copyright © 2014
Oliver E. Drummond

- **Lots to address, so limit scope (unless indicated otherwise) to comparing two trackers, for which:**
 - ◆ Both trackers observe four targets and target measurement errors are independent
 - ◆ Simple tracker gates receive only one measurement in each track gate
 - ◆ Challenging tracker gates average more than one measurement in each gate
 - ◆ The pertinent *a priori* probabilities are known
 - ◆ Limit discussion to multiple, small targets and continuous measurement error sample space

Sp14FundMTT_Wrksp 3

The Methodology

MTT Lecture Notes
Copyright © 2014
Oliver E. Drummond

- **The Assumed Methodology**
 - ◆ Define the desired system characteristics
 - ◆ Enumerate the processing equations and parameters
 - ◆ Select the performance criteria
 - ◆ Find the optimal solution
 - ◆ Evaluate performance and hardware resources required
- **Some performance criteria include:**
 - ◆ Minimum Mean Square Error (MMSE)
 - ◆ Maximum A posteriori Probability (MAP)
 - ◆ Best Hypothesis (BH)

Sp14FundMTT_Wrksp 4

Some Differences in Results From MMSE Trackers

MTT Lecture Notes
Copyright © 2014
Oliver E. Drummond

- **Simple Tracker Implemented Four Single-Target, Recursive Trackers**
- **Challenging Tracker Implemented One Integrated Process with Tracks for Four Target that includes Smoothing (Retrodiction).**
- **Classical Covariance Error Analysis is Applicable to Simple Tracker but is NOT Applicable to Challenging Tracking -- so a Monte Carlo Simulation is Needed**
- **Note: Complex Simulation Development is Beyond the Scope Of Normal Academic Research**
- **For Simple Tracker, Most Bayesian Cost Criteria lead to the same Solution, NOT so for the challenging Tracker**

Sp14FundMTT_Wrksp 5

Some Observations On Target Tracking (1 of 2)

MTT Lecture Notes
Copyright © 2014
Oliver E. Drummond

- **Tracking Small Targets Involves Random Variables from BOTH Discrete and Continuous Sample Space, e.g., Measurement Errors and Assignment Errors:**
 - ◆ Because of the resulting complex nature of the estimation errors, multiple target-tracking performance evaluation and prediction are not amenable to mathematical analysis.
 - ◆ A high fidelity Monte Carlo simulation plus field testing are a necessary part of most tracking algorithm development efforts.
 - ◆ Initially, some simulation results appear to be counterintuitive.
 - ◆ Algorithm development of the trackers for a system is typically an experimental and recursive process and a long lead task.
 - ◆ Tracking exhibits properties significantly different from signal processing; in addition to Type 1 and Type 2 errors, tracking exhibits Type 3 errors, that are a combination of both missed and false tracks.

Sp14FundMTT_Wrksp 6

Some Observations On Target Tracking (2 of 2)

MTT Lecture Notes
Copyright © 2014
Oliver E. Drummond

- **By Comparison, for Linear Gaussian Filtering Problems (Without Need of Association Processing) the Kalman Filter Is Optimal For a Wide Variety of Optimization Criteria**
- **Because Optimal Tracking Performance Methods Are Too Complex to Be Practical, Constrained Optimal or Suboptimal (Ad Hoc) Algorithms Are Typically Devised That Take Advantage of the Particular Targets, Sensors, and Related Conditions of the System for Which the Tracker Is Designed.**
 - ◆ In algorithm development, the major trade is between tracking performance versus cost, processor loading, and communications loading, if applicable.
 - ◆ Note that the {Kalman} filter equations are not very difficult to implement; it is the selection of the type of filter, structure of the mathematical model, and its parameter values used to design the filter that require extensive knowledge and experience. The data association function is similar.

Sp14FundMTT_Vrksp 7

Conclusions

MTT Lecture Notes
Copyright © 2014
Oliver E. Drummond

- **Algorithm development for multiple, close small-target tracking is typically:**
 - ◆ Definitely Challenging
 - ◆ Complex and seldom amenable to mathematical performance analysis
 - ◆ Poses extensive algorithm development,
 - ◆ Is a long lead task,
 - ◆ Must be customized for each application,
 - ◆ Consequently, off-the-shelf solutions are NOT practical
 - ◆ Is at least as Challenging as Rocket Science
- **Small target signal and data processing methods have improved significantly in recent years relative to what is achievable, but there are still opportunities for major progress.**

Sp14FundMTT_Vrksp 8

